

Notice of Allowability

Application No.

09/880,633

Examiner

Fadi H. Dahbour

Applicant(s)

DEMIAN, BASSEM M.

Art Unit

3743

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to response filed on 08/16/04.
2. ☒ The allowed claim(s) is/are 1-21.
3. ☒ The drawings filed on 09 April 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.


THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.

Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date _____
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☒ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____


11/29/04
Fadi H. Dahbour
Examiner
Art Unit 3743

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it **MUST** be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the spec., on page 1, below the title insert --FIELD OF THE INVENTION--.

In the spec., on page 1, below the first paragraph insert --BACKGROUND OF THE INVENTION--.

In the spec., on page 3, above the last paragraph insert --SUMMARY OF THE INVENTION--.

In the spec., on page 8, below line 2 insert --DETAILED DESCRIPTION OF THE DRAWINGS--.

2. The following is an examiner's statement of reasons for allowance:

The prior art of record does not teach or fairly suggest the recitations of the specific features of the bunion correction device of claim 1, and the method of correcting a bunion condition of claim 12, including especially the following:

The primary reason for the allowance of independent claim 1, is the inclusion of the means for attaching at least one electrode to the foot for applying an electrical signal to the abductor digiti minimi brevis muscle in the foot, claimed in combination with the bunion correction device's generator.

The primary reason for the allowance of independent claim 2, is the method of correcting a bunion condition including the step of applying an electrical signal to the abductor digiti minimi brevis muscle.

Art Unit: 3743


3. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

The U.S. references 6341237 and 4326534, have been considered by the examiner, and have been listed in an accompanying 892-form, by the examiner.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Fadi H. Dahbour whose telephone number is 571-272-4792. The examiner can normally be reached on M-F, 9am-5:30pm est.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Henry A. Bennett, can be reached on (571) 272-4791.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


11/29/04
Fadi H. Dahbour
Examiner
Art Unit 3743